This Page Is Inserted by IFW Operations and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):


- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

As rescanning documents will not correct images, please do not report the images to the Image Problem Mailbox.

100 Document Generation System

FIG. 1



SampleTemplate.rtf

FIG. 2 200

Rich Text Format Compatible Template File

```
{\rtfl\ansi\ansicpg1252\ucl \deff0\deflang1033\deflangfe1033\fonttbl{\f0\froman\fcharset0\fprq2{\*\panose 02020603050405020304}Times New Roman;}{\f30\froman\fcharset238\fprq2 Times New Roman Cgr;}{\f31\froman\fcharset204\fprq2 Times New Roman Cyr;}{\f33\froman\fcharset161\fprq2 Times New Roman Greek;}{\f34\froman\fcharset162\fprq2 Times New Roman Tur;}{\f35\froman\fcharset177\fprq2 Times New Roman (Hebrew);}{\f36\froman\fcharset178\fprq2 Times New Roman (Arabic);}
Times New Roman Tur;}{\f35\froman\fcharset177\fprq2 Times New Roman (Hebrew);}\(\f36\froman\fcharset178\fprq2 Times New Roman (Arabic);}\(\f37\froman\fcharset178\fprq2 Times New Roman (Arabic);}\(\f37\froman\fcharset178\fprq2 Times New Roman (Arabic);}\(\f37\froman\fcharset186\fprq2 Times New Roman (Arabic);}\(\f37\froman\fcharset186\fprq2 Times New Roman (Arabic);}\(\f37\froman\fcharset186\fprq2 Times New Roman (Arabic);}\(\frac{1}{1}\forallow{1}\forallow{1}\forallow{1}\forallow{1}\forallow{1}\forallow{1}\forallow{1}\forallow{1}\forallow{1}\forallow{1}\forallow{1}\forallow{1}\forallow{1}\forallow{1}\forallow{1}\forallow{1}\forallow{1}\forallow{1}\forallow{1}\forallow{1}\forallow{1}\forallow{1}\forallow{1}\forallow{1}\forallow{1}\forallow{1}\forallow{1}\forallow{1}\forallow{1}\forallow{1}\forallow{1}\forallow{1}\forallow{1}\forallow{1}\forallow{1}\forallow{1}\forallow{1}\forallow{1}\forallow{1}\forallow{1}\forallow{1}\forallow{1}\forallow{1}\forallow{1}\forallow{1}\forallow{1}\forallow{1}\forallow{1}\forallow{1}\forallow{1}\forallow{1}\forallow{1}\forallow{1}\forallow{1}\forallow{1}\forallow{1}\forallow{1}\forallow{1}\forallow{1}\forallow{1}\forallow{1}\forallow{1}\forallow{1}\forallow{1}\forallow{1}\forallow{1}\forallow{1}\forallow{1}\forallow{1}\forallow{1}\forallow{1}\forallow{1}\forallow{1}\forallow{1}\forallow{1}\forallow{1}\forallow{1}\forallow{1}\forallow{1}\forallow{1}\forallow{1}\forallow{1}\forallow{1}\forallow{1}\forallow{1}\forallow{1}\forallow{1}\forallow{1}\forallow{1}\forallow{1}\forallow{1}\forallow{1}\forallow{1}\forallow{1}\forallow{1}\forallow{1}\forallow{1}\forallow{1}\forallow{1}\forallow{1}\forallow{1}\forallow{1}\forallow{1}\forallow{1}\forallow{1}\forallow{1}\forallow{1}\forallow{1}\forallow{1}\forallow{1}\forallow{1}\forallow{1}\forallow{1}\forallow{1}\forallow{1}\forallow{1}\forallow{1}\forallow{1}\forallow{1}\forallow{1}\forallow{1}\forallow{1}\forallow{1}\forallow{1}\forallow{1}\forallow{1}\forallow{1}\forallow{1}\forallow{1}\forallow{1}\forallow{1}\forallow{1}\forallow{1}\forallow{1
   Patent-Samples\\\SampleDatasource.txt" }}{\fldrslt }}{\fs32 This is a Sample
   Document!
   \par }\pard \ql
\liO\riO\widctlpar\aspalpha\aspnum\faauto\adjustright\rinO\linO\itapO {\fs2O
   }}{\fldrslt {
\fs20\lang1024\langfe1024\noproof \'abLastName\'bb}}}{\fs20
                                                                                                                                                                                                                                                                            208
    \par
    \trbrdrv\brdrs\brdrw10
\trftswidth1\trautofit1\trpaddl108\trpaddr108\trpaddfl3\trpaddfr3 \clvertalt\clbrdrt
```

- 205

204

206

200
Rich Text Format Compatible Template File

FIG. 2 (con't.)

```
SampleTemplate.rtf

brdrs\brdrw10 \trbrdr\brdrs\brdrw10 \trbrdrs\brdrw10 \trbrdrs\brdrs\brdrw10 \trbrdrs\brdrw10 \trbrdrs\brdrs\brdrw10 \trbrdrs\brdrs\brdrw10 \trbrdrs\brdrw10 \trbrdrs\brdrs\brdrw10 \trbrdrs\brdrs\brdrw10 \trbrdrs\brdrs\brdrw10 \trbrdrs\brdrw10 \trbrdrs\brdrs\brdrw10 \trbrdrs\brdrs\brdrw10 \trbrdrs\brdrs\brdrs\brdrw10 \trbrdrs\brdrs\brdrw10 \trbrdrs\brdrs\brdrw10 \trbrdrs\brdrs\brdrw10 \trbrdrs\brdrs\brdrw10 \trbrdrs\brdrs\brdrw10 \trbrdrs\brdrs\brdrw10 \trbrdrs\brdrs\brdrw10 \trbrdrs\brdrw10 \trbrdrs\brdrs\brdrw10 \trbrdrs\brdrs\brdrw10 \trbrdrs\brdrs\brdrw10 \trbrdrs\brdrs\brdrw10 \trbrdrs\brdrs\brdrw10 \trbrdrs
```

300 Word Processing Document Compatible with Rich Text Format

This is a Sample Document!

201 207 208
First Name: «FirstName» Last Name: «LastName»

203 Dependent List: 204

204	205	206	
First Name	Last Name	Ape	
«DFirstName»	«DLastName»	«DAge»	
200	210	211	

400 Data Source Map

201	202	203	209	210	211	
FirstName /Stuff/Name/First	LastName /Stuff/Name/Last	Dependents /Stuff/Dependents/Person	DFirstName Name/First		DAge Age	
401	402	406	403	404	405	

Extensible Stylesheet Language (XSL) Template File

```
<?xml version="1.0" ?>
- <xsl:transform xmlns:xsl="http://www.w3.org/1999/XSL/Transform"
   version="1.0">
   <xsl:output method="text" omit-xml-declaration="yes" />
  <xsl:template match="/">
    {\rtf1\ansi\ansicpg1252\uc1 \deff0\deflang1033\deflangfe1033{\fonttbl
     {\f0\froman\fcharset0\fprq2{\*\panose 02020603050405020304}Times
    New Roman;}{\f30\froman\fcharset238\fprq2 Times New Roman CE;}
     {\f31\froman\fcharset204\fprq2 Times New Roman Cyr;} {\f33
     \froman\fcharset161\fprq2 Times New Roman Greek;}{\f34
     \froman\fcharset162\fprq2 Times New Roman Tur;}{\f35
     \froman\fcharset177\fprq2 Times New Roman (Hebrew);}{\f36
     \froman\fcharset178\fprq2 Times New Roman (Arabic);} {\f37
     \froman\fcharset186\fprq2 Times New Roman Baltic;}}{\colortbl;\red0
     \green0\blue0;\red0\green0\blue255;\red0\green255\blue255;\red0
     \green255\blue0;\red255\green0\blue255;\red255\green0
     \blue0;\red255\green255\blue0;\red255\green255\blue255; \red0
     \green0\blue128;\red0\green128\blue128;\red0\green128
     \blue0;\red128\green0\blue128;\red128\green0\blue0;\red128
     \green128\blue0;\red128\green128\blue128;\red192\green192
     \blue192;}{\stylesheet{ \ql \li0\ri0
     \widctlpar\aspalpha\aspnum\faauto\adjustright\rin0\lin0\itap0 \fs24
     \lang1033\langfe1033\cgrid\langnp1033\langfenp1033 \snext0 Normal;}
     {\*\cs10 \additive Default Paragraph Font;}}{\*\filetbl }{\info{\author
    Walt Singleton} {\operator Walt Singleton}{\creatim\yr2002\mo11\dy27
     \hr13\min3}{\revtim\yr2002\mo11\dy27\hr13\min3}{\version3}
     {\edmins0}{\nofpages1}{\nofwords39}{\nofchars226}{\*\company
    Siemens \ \nofcharsws0 \ \vern8269 \}
     \widowctrl\ftnbj\aenddoc\noxlattoyen\expshrtn\noultrlspc\d<mark>ntblnsbdb\nospace</mark>f
     \horzdoc\dghspace120\dgvspace120\dghorigin1701\dgvorigin1984
     \dghshow0\dgvshow3\jcompress\viewkind4\viewscale100\noInhtadjtbl
     \fet0\sectd \linex0\sectdefaultcl {\*\pnseclvl1\pnucrm\pnstart1
    \pnindent720\pnhang{\pntxta .}}{\*\pnsectvi2\pnucltr\pnstart1
\pnindent720\pnhang{\pntxta .}}{\*\pnsectvi3\pndec\pnstart1
     \pnindent720\pnhang{\pntxta .}}{\*\pnseclvi4\pnlcltr\pnstart1
     \pnindent720\pnhang{\pntxta )}}{\*\pnseclvl5 \pndec\pnstart1
     \pnindent720\pnhang{\pntxtb (}{\pntxta )}}{\*\pnseclvl6
     \pnlcltr\pnstart1\pnindent720\pnhang{\pntxtb (}{\pntxta )}}
     {\*\pnseclvl7\pnlcrm\pnstart1\pnindent720\pnhang{\pntxtb (}
     {\pntxta )}}{\*\pnsecivi8\pnicitr\pnstart1\pnindent720\pnhang
     {\pntxtb (}{\pntxta )}}{\*\pnseclvl9\pnlcrm\pnstart1\pnindent720
    \pnhang{\pntxtb (){\pntxta )}}\pard\plain \ql \li0\ri0 \nowldctlpar\faauto\rin0\lin0\itap0 \fs24\lang1033\langfe1033
     \cgrid\langnp1033\langfenp1033 {\field{\*\fldinst {\fs20 DATA "F:\\\\
    Patent-Samples\\\\SampleDatasource.txt" }}{\fidrslt }}{\fs32 This is a
    Sample Document! \par }\pard \ql \li0\ri0
     \widctlpar\aspalpha\aspnum\faauto\adjustright\rin0\lin0\itap0 {\fs20
    \par \par First Name: }{\fs20\lang1024\langfe1024\noproof
    <xsl:value-of select="/Stuff/Name/First"/>
    }{\fs20 \tab \tab Last Name: }{ \fs20\lang1024\langfe1024\noproof
    <xsl:value-of select="/Stuff/Name/Last"/>
    }{\fs20 \par \par }{\b\fs20\ul Dependent List: \par \par }\trowd
     \trgaph108\trleft-108\trbrdrt\brdrs\brdrw10 \trbrdrl\brdrs\brdrw10
     \trbrdrb\brdrs\brdrw10 \trbrdrr\brdrs\brdrw10 \trbrdrh\brdrs\brdrw10
     \trbrdrv\brdrs\brdrw10 \trftsWidth1\trautofit1\trpaddl108\trpaddr108
```

403

404

405

```
\trpaddfl3\trpaddfr3 \civertait\cibrdrt \brdrs\brdrw10
       \clbrdri\brdrs\brdrw10 \clbrdrb\brdrs\brdrw10 \clbrdrr\brdrs\brdrw10
       \cltxlrtb\clftsWidth3\clwWidth3672 \cellx2896
       \civertalt\cibrdrt\brdrs\brdrw10 \cibrdrl\brdrs\brdrw10
       \clbrdrb\brdrs\brdrw10 \clbrdrr\brdrs\brdrw10 \cltx\rtb\clftsWidth3
       \clwWidth3672 \cellx5894\clvertalt\clbrdrt\brdrs\brdrw10
       \cibrdri\brdrs\brdrw10 \cibrdrb\brdrs\brdrw10 \cibrdrr\brdrs\brdrw10
       \cltxlrtb\clftsWidth3\clwWidth3672 \cellx8748\pard \ql \li0\ri0
       \widctlpar\intbl\aspalpha\aspnum\faauto\adjustright\rin0\lin0 {\i\fs20
       \ull First Name\cell Last Name\cell Age\cell }\pard \ql \li0\ri0
       \widctlpar\intbl\aspalpha\aspnum\faauto\adjustright\rin0\lin0 {\fs20
       \trowd \trgaph108\trleft-108\trbrdrt \brdrs\brdrw10
       \trbrdrl\brdrs\brdrw10 \trbrdrb\brdrs\brdrw10 \trbrdrr\brdrs\brdrw10
       \trbrdrh\brdrs\brdrw10 \trbrdrv\brdrs\brdrw10 \trftsWidth1\trautofit1
       \trpaddl108\trpaddr108\trpaddfl3\trpaddfr3
       \civertalt\cibrdrt\brdrs\brdrw10 \cibrdri\brdrs\brdrw10
       \clbrdrb\brdrs\brdrw10 \clbrdrr\brdrs\brdrw10 \cltx\rtb\clftsWidth3 .
       \clwWidth3672 \cellx2896\clvertalt\clbrdrt\brdrs\brdrw10
       \clbrdri\brdrs\brdrw10 \clbrdrb\brdrs\brdrw10 \clbrdrr\brdrs\brdrw10
       \citxirtb\ciftsWidth3\clwWidth3672 \cellx5894\civertalt
       \clbrdrt\brdrs\brdrw10 \clbrdrl\brdrs\brdrw10 \clbrdrb\brdrs\brdrw10
       clbrdrr\brdrs\brdrw10 \cltxlrtb\clftsWidth3\clwWidth3672 \cellx8748
       \row \\trowd \trgaph108\\trleft-108\\trbrdrt\\brdrs\\brdrw10
       \trbrdrl\brdrs\brdrw10 \trbrdrb\brdrs\brdrw10 \trbrdrr \brdrs\brdrw10
       \trbrdrh\brdrs\brdrw10 \trbrdrv\brdrs\brdrw10 \trftsWidth1\trautofft1
       \trpaddl108\trpaddr108\trpaddfl3\trpaddfr3
       \civertait\cibrdrt\brdrs\brdrw10 \cibrdri\brdrs\brdrw10
       \clbrdrb\brdrs\brdrw10 \clbrdrr\brdrs\brdrw10 \cltxlrtb\clftsWidth3
       \clwWidth3672 \cellx2896\clvertalt\clbrdrt\brdrs\brdrw10
       \cibrdrl\brdrs\brdrw10 \cibrdrb\brdrs\brdrw10 \cibrdrr\brdrs\brdrw10
       \cltxlrtb\clftsWidth3\clwWidth3672 \cellx5894
       \civertalt\cibrdrt\brdrs\brdrw10 \cibrdrl\brdrs\brdrw10
       \clbrdrb\brdrs\brdrw10 \clbrdrr\brdrs\brdrw10 \cltx\rtb\clftsWidth3
       \clwWidth3672 \cellx8748
406 - <xsl:for-each select="/Stuff/Dependents/Person">
        \pard \ql \li0\ri0
        \widctlpar\intbl\aspalpha\aspnum\faauto\adjustright\rin0\lin0
        {\fs20\lang1024\langfe1024\noproof
        <xsl:value-of select="Name/First"/>
        }{\fs20 \cell }{\fs20\lang1024\langfe1024\noproof
        <xsl:value-of select="Name/Last" />
        }{\fs20 \cell }{\fs20\lang1024\langfe1024\noproof
        <xsl:value-of select="Age" />
        }{\fs20 \cell }\pard \ql \li0\ri0
         \widctlpar\intbl\aspalpha\aspnum\faauto\adjustright\rin0\lin0
        {\fs20 \trowd \trgaph108\trleft-108\trbrdrt\brdrs\brdrw10
        \trbrdrl\brdrs\brdrw10 \trbrdrb\brdrs\brdrw10
        \trbrdrr\brdrs\brdrw10 \trbrdrh\brdrs\brdrw10
        \trbrdrv\brdrs\brdrw10 \trftsWidth1\trautofit1\trpaddl108
        \trpaddr108\trpaddf13\trpaddfr3 \clvertalt\clbrdrt\brdrs\brdrw10
        \clbrdri\brdrs\brdrw10 \clbrdrb\brdrs\brdrw10 \clbrdrr
        \brdrs\brdrw10 \cltxlrtb\clftsWidth3\clwWidth3672 \cellx2896
        \civertait\cibrdrt\brdrs\brdrw10 \cibrdri\brdrs\brdrw10
        \clbrdrb\brdrs\brdrw10 \clbrdrr\brdrs\brdrw10 \cltxlrtb\clftsWidth3
```

\clwWidth3672 \cellx5894\clvertalt\clbrdrt\brdrs\brdrw10 \clbrdrl

<u>500</u>

Extensible Stylesheet Language (XSL) Template File

FIG. 5 (Con't.)

\brdrs\brdrw10 \clbrdrb\brdrs\brdrw10 \clbrdrr\brdrs\brdrw10 \cltx\rtb\clfts\width3\clw\width3672 \cellx8748\row } </xsl:for-each> \pard \ql \li0\ri0\widctlpar\aspalpha\aspnum\faauto\adjustright\rin0 \lin0\itap0 {\fs20 \par }} </xsl:template> </xsl:transform>

Data Items for an Information Repository

```
- <Stuff>
 - <Name>
               401
    <First>Thomas</First>
    <Last>Thomason</Last>402
   </Name>
 - <Dependents>
   - <Person>
    - <Name>
                            403
        <First>Norman</First>
        <Last>Normanson</Last>
      </Name>
      <Age>45</Age> 405
    </Person>
   - <Person>
    - <Name>
        <First>Stephen</First>
        <Last>Stevenson</Last>
      </Name>
      <Age>37</Age>
    </Person>
   - <Person>
    - <Name>
        <First>Roger</First>
        <Last>Rogerson</Last>
      </Name>
      <Age>48</Age>
    </Person>
   </Dependents>
 </Stuff>
```

Rich Text Format Compatible Output File

```
outputfile.RTF
 {\rtfl\ansi\ansicpg1252\uc1 \deff0\deflang1033\deflangfe1033{\fonttbl{\f0\froman\fcharset0\fprq2{\*\panose 02020603050405020304}Times New Roman;}{\f30\froman\fcharset238\fprq2 Times New Roman Ce;}{\f31\froman\fcharset204\fprq2 Times New Roman Cyr;}{\f33\froman\fcharset161\fprq2 Times New Roman Greek;}{\f34\froman\fcharset162\fprq2 Times New Roman Tur;}{\f35\froman\fcharset177\fprq2 Times New Roman (Hebrew);}{\f36\froman\fcharset178\fprq2 Times New Roman (Arabic);}
 (Hebrew);}{\f36\froman\fcharset178\fprq2 Times New Roman (Arabic);}
{\f37\froman\fcharset186\fprq2 Times New Roman
Baltic;}}{\colortbl;\red0\green0\blue0;\red0\green0\blue255;\red0\green255\blue255;\red0\green255\blue255;\red0\green255\blue255;\red0\green255\blue255;\red0\green255\blue255;\red0\green255\blue255;\red0\green255\blue255;\red0\green0\blue0;\red128\green0\blue0;\red128\green0\blue0;\red128\green0\blue0;\red128\green0\blue0;\red128\green128\blue0;\red128\green128\blue128;\red128\green128\blue128;\red128\green128\blue128;\red128\green128\blue128;\red128\green128\blue128;\red128\green128\blue128;\red128\green128\blue128;\red128\green128\blue128;\red128\green128\blue128;\red128\green128\blue128;\red128\green128\blue128;\red128\green128\blue128;\red128\green128\blue128;\red128\green128\blue128;\red128\green128\blue128;\red128\green128\blue128;\red128\green128\blue128;\red128\green128\blue128;\red128\green128\blue128;\red128\green128\blue128;\red128\green128\blue128;\red128\green128\blue128;\red128\green128\blue128;\red128\green128\blue128;\red128\green128\blue128;\red128\green128\blue128;\red128\green128\blue128;\red128\green128\blue128;\red128\green128\blue128;\red128\green128\blue128;\red128\green128\blue128;\red128\green128\blue128;\red128\green128\blue128;\red128\green128\blue128;\red128\green128\blue128;\red128\green128\blue128;\red128\green128\blue128;\red128\green128\blue128;\red128\green128\blue128;\red128\green128\blue128;\red128\green128\blue128;\red128\green128\blue128;\red128\green128\blue128;\red128\green128\blue128;\red128\green128\blue128;\red128\green128\blue128;\red128\green128\blue128;\red128\green128\blue128;\red128\green128\blue128;\red128\green128\blue128;\red128\green128\blue128;\red128\green128\blue128;\red128\green128\blue128;\red128\green128\blue128;\red128\green128\blue128;\red128\green128\blue128;\red128\green128\blue128;\red128\green128\blue128;\red128\green128\blue128;\red128\green128\blue128;\red128\green128\blue128;\red128\green128\blue128;\red128\green128\blue128;\red128\g
  \widowctrl\ftnbj\aenddoc\noxlattoyen\expshrtn\noultrlspc\dntblnsbdb\nospaceforul\hyp
hcapsO\horzdoc\dghspace120\dgyspace120\dghorigin1701\dgyorigin1984\dghshow0\dgyshow3
\jcompress\viewkind4\viewscale100\nolnhtadjtbl \fet0\sectd \linex0\sectdefaultcl
\*\pnseclvll\pnucrm\pnstart1\pnindent720\pnhang{\pntxta
.}}{\*\pnseclvl2\pnucltr\pnstart1\pnindent720\pnhang{\pntxta
.}}{\*\pnseclvl3\pndec\pnstart1\pnindent720\pnhang{\pntxta
.}}{\*\pnseclvl4\pnlcltr\pnstart1\pnindent720\pnhang{\pntxta
.}}{\*\pnseclvl6\pnlcltr\pnstart1\pnindent720\pnhang{\pntxtb
}}{\*\pnseclvl6\pnlcltr\pnstart1\pnindent720\pnhang{\pntxtb
}}{\*\pnseclvl7\pnlcrm\pnstart1\pnindent720\pnhang{\pntxtb
}}{\*\pnseclvl8\pnlcltr\pnstart1\pnindent720\pnhang{\pntxtb
}}{\*\pnseclvl8\pnlcltr\pnstart1\pnindent720\pnhang
{\pntxtb
}}{\*\pnseclvl8\pnlcltr\pnstart1\pnindent720\pnhang
{\pntxtb
}}{\pntxta
}}{\*\pnseclvl8\pnlcltr\pnstart1\pnindent720\pnhang
{\pntxtb
}}{\pntxta
}}{\*\pnseclvl8\pnlcltr\pnstart1\pnindent720\pnhang
{\pntxtb
}}{\pntxta
}}{\pntxta
}}\pard\plain \ql \li0\ri0\nowidctlpar\faauto\rin0\lin0\itap0
\fs24\langl033\langfe1033\cgrid\langn1033\langfenp1033 \field{\*\fldinst \fs20
DATA
F:\\\
Patent-Samples\\\SampleDatasource.txt"
}}{\fldrslt}}{\fldrslt}}{\floorid\pntralentartl}

     Document!
      \par }\pard \q]
\li0\ri0\widctlpar\aspalpha\aspnum\faauto\adjustright\rin0\lin0\itap0 {\fs20
          par First Name: }{\fs20\lang1024\langfe1024\noproof Thomas}{\fs20 \tab \tab Last
   Name: }{
\fs20\lang1024\langfe1024\noproof Thomason}{\fs20
      \par
                                                                                                                                                                                                                                                                                                                                                                            402
       \par }{\b\fs20\ull Dependent List:406
 par }\trowd \trgaph108\trleft-108\trbrdrt\brdrs\brdrw10 \trbrdrl\brdrs\brdrw10
\trbrdrb\brdrs\brdrw10 \trbrdrr\brdrs\brdrw10 \trbrdrh\brdrs\brdrw10
\trbrdrb\brdrs\brdrw10
\trbrdrv\brdrs\brdrw10
\trftswidth1\trautofit1\trpadd1108\trpaddr108\trpaddf13\trpaddfr3 \clvertalt\clbrdrt
\brdrs\brdrw10 \clbrdrl\brdrs\brdrw10 \clbrdrb\brdrs\brdrw10 \clbrdrr\brdrs\brdrw10
\cltrlb\clftswidth3\clwwidth3672 \cellx2896\clvertalt\clbrdrt\brdrs\brdrw10
\clbrdrl\brdrs\brdrw10 \clbrdrb\brdrs\brdrw10 \clbrdrr\brdrs\brdrw10
\clbrdrl\brdrs\brdrw10 \clbrdrb\brdrs\brdrw10 \clbrdrr\brdrs\brdrw10
\clbrdrl\brdrs\brdrw10 \clbrdrb\brdrs\brdrw10 \clbrdrr\brdrs\brdrw10
\clbrdrl\brdrs\brdrw10 \clbrdrb\brdrs\brdrw10 \clbrdrr\brdrs\brdrw10
\cltrltb\clftswidth3\clwwidth3672 \cellx5894\clvertalt\clbrdrt\brdrs\brdrw10
\clbrdrl\brdrs\brdrw10 \clbrdrb\brdrs\brdrw10 \clbrdrr\brdrs\brdrw10
\clbrdrl\brdrs\brdrw10 \clbrdrb\brdrs\brdrw10 \clbrdrr\brdrs\brdrw10
\clbrdrl\brdrs\brdrw10 \frac{1}{10}\rio\widctlpar\intbl\aspalpha\aspnum\faauto\adjustright\rino\lin0 \frac{1}{10}\rio\widctlpar\intbl\aspalpha\aspnum\faauto\adjustright\rino\lin0 \frac{1}{10}\rio\widctlpar\intbl\aspalpha\aspnum\faauto\adjustright\rino\lin0 \frac{1}{10}\rio\widctlpar\intbl\aspalpha\aspnum\faauto\adjustright\rino\lin0 \frac{1}{10}\rio\widctlpar\intbl\aspalpha\aspnum\faauto\adjustright\rino\lin0 \frac{1}{10}\rio\widctlpar\intbl\aspalpha\aspnum\faauto\adjustright\rino\lin0 \frac{1}{10}\rio\widctlpar\intbl\aspalpha\aspnum\faauto\adjustright\rino\lin0 \frac{1}{10}\rio\widctlpar\intbl\aspalpha\aspnum\faauto\adjustright\rino\lin0 \frac{1}{10}\rio\widctlpar\intbl\aspalpha\aspnum\faauto\adjustright\rino\lin0 \frac{1}{10}\rio\widchlond\frac{1}{10}\rio\widchlond\frac{1}{10}\rio\widchlond\frac{1}{10}\rio\widchlond\frac{1}{10}\rio\widchlond\frac{1}{10}\rio\widchlond\frac{1}{10}\rio\widchlond\frac{1}{10}\rio\widchlond\frac{1}{10}\rio\widchlond\frac{1}{10}\rio\widchlond\frac{1}{10}\rio\widchlond\frac{1}{10}\rio\widchlond\frac{1}{10}\rio\widchlond\frac{1}{10}\rio\widchlond\frac{1}{10}\rio\widch
       \par
```

700

Rich Text Format Compatible Output File

FIG. 7 (Con't.)

```
outputfile.RTF
\trftswidthl\trautofit1\trpaddl108\trpaddr108\trpaddf13\trpaddfr3
\clvertalt\clbrdrt\brdrs\brdrw10 \clbrdrl\brdrs\brdrw10
\clbrdrb\brdrs\brdrw10 \clbrdrr\brdrs\brdrw10 \cltrlrtb\clftswidth3\clwwidth3672
\cellx2896\clvertalt\clbrdrt\brdrs\brdrw10 \clbrdrl\brdrs\brdrw10
\clbrdrb\brdrs\brdrw10 \clbrdrr\brdrs\brdrw10 \cltrlrtb\clftswidth3\clwwidth3672
\cellx2896\clvertalt
\clbrdrb\brdrs\brdrw10 \clbrdrl\brdrs\brdrw10 \clbrdrb\brdrs\brdrw10
\clbrdrb\brdrs\brdrw10 \clbrdrl\brdrs\brdrw10 \clbrdrb\brdrs\brdrw10
\clbrdrt\brdrs\brdrw10 \cltrlrtb\clftswidth3\clwwidth3672 \cellx8748\row }\trowd
\trgaph108\trleft-108\trbrdrt\brdrs\brdrw10 \trbrdr\brdrs\brdrw10
\trbrdrb\brdrs\brdrw10 \trbrdrh\brdrs\brdrw10 \trbrdrr\brdrs\brdrw10
\trbrdrb\brdrs\brdrw10 \trbrdrh\brdrs\brdrw10 \trbrdrl\brdrs\brdrw10
\trftswidth1\trautofit1\trpaddl108\trpaddr108\trpaddf13\trpaddfr3
                                                                                                                                                                                              outputfile.RTF
                          \trftswidth1\trautofit1\trpadd1108\trpaddr108\trpaddf13\trpaddfr3
\clvertalt\clbrdrt\brdrs\brdrw10 \clbrdrl\brdrs\brdrw10 \clbrdrb\brdrs\brdrw10
                          \clbrdrr\brdrs\brdrw10
\cltrlrtb\clftswidth3\clwwidth3672 \cellx2896\clvertalt\clbrdrt\brdrs\brdrw10
\clbrdrl\brdrs\brdrw10 \clbrdrl\brdrs\brdrw10 \clbrdrr\brdrs\brdrw10
\cltrlrtb\clftswidth3\clwwidth3672 \cellx5894\clvertalt\clbrdrt\brdrs\brdrw10
\clbrdrl\brdrs\brdrw10
\clbrdrl\brdrs\brdrw10
                          \clbrdrb\brdrs\brdrw10 \clbrdrr\brdrs\brdrw10 \cltxlrtb\clftswidth3\clwwidth3672
\cellx8748
                         \pard \ql \li0\ri0\widctlpar\intbl\aspalpha\aspnum\faauto\adjustright\rin0\lin0 {\fs20\lang1024\langfe1024\noproof Norman}{\fs20 \cell }\fs20\lang1024\langfe1024\noproof Normanson}{\fs20 \cell }\fs20\lang1024\langfe1024\noproof 45}{\fs20 \cell }\pard \ql \li0\rio\widctlpar\intbl\aspalpha\aspnum\faauto\adjustright\rin0\lin0 {\fs20 \trowd\trgaph108\trleft-108\trbrdrt\brdrs\brdrw10 \trbrdrl\brdrs\brdrw10 \trbrdr\brdrs\brdrw10 \trbrdr\brdrw10 \trbrdr\brdrs\brdrw10 \trbrdr\brdrw10 \trbrdrw10 \trbrdrw10 \trbrdrw10 \trbrdrw10 \trbrdrw10 \trbrdr\brdrw10 \trbrdrw10 \trbrdrw1
                          \trftswidthl\trautofit1\trpaddl108\trpaddr108\trpaddfl3\trpaddfr3
\clvertalt\clbrdrt\brdrs\brdrw10 \clbrdrl\brdrs\brdrw10 \clbrdrb\brdrs\brdrw10
                        brdrs\brdrw10 \cltxlrtb\clftsWidth3\clwwidth3672
403
  404
  405
                          \trbrdrv\brdrs\brdrw10
\trftsWidth1\trautofit1\trpadd1108\trpaddr108\trpaddf13\trpaddfr3
\c]vertalt\c]brdrt\brdrs\brdrw10 \c]brdrl\brdrs\brdrw10 \c]brdrb\brdrs\brdrw10
                       \clbrdrr
403
  404
  405
```

700
Rich Text Format Compatible Output File

FIG. 7 (Con't.)

outputfile.RTF
\trftsWidthl\trautofit1\trpaddl108\trpaddr108\trpaddf13\trpaddfr3
\clvertalt\clbrdrt\brdrs\brdrw10 \clbrdrl\brdrs\brdrw10 \clbrdrb\brdrs\brdrw10
\clbrdrr
\brdrs\brdrw10 \cltxlrtb\clftswidth3\clwwidth3672
\cellx2896\clvertalt\clbrdrt\brdrs\brdrw10 \clbrdrl\brdrs\brdrw10
\clbrdrb\brdrs\brdrw10 \clbrdrt\brdrs\brdrw10 \clbrdrl\brdrs\brdrw10\clbrdrl\brdrs\brdrw10\clbrdrl\brdrs\brdrw10\clbrdrl\brdrs\brdrw10\clbrdrl\brdrs\brdrw10\clbrdrl\brdrs\brdrw10\clbrdrl\brdrs\brdrw10\clbrdrl\brdrs\brdrw10\clbrdrl\brdrs\brdrw10\clbrdrl\brdrs\brdrw10\clbrdrl\brdrs\brdrw10\clbrdrl\brdrs\brdrw10\clbrdrl\brdrs\brdrw10\clbrdrl\brdrs\brdrw10\clbrdrl\brdrs\brdrw10\clbrdrl\brdrs\brdrw10\clbrdrl\brdrs\brdrw10\clbrdrl\brdrs\brdrw10\clftswidth3\clwwidth3672\cellx8748\row\squar\squar\q\left\left\left\brdr\brdrs\brdrw10\clfts\brdr\brdr\brdrs\brdrw10\clfts\brdr\brdr\brdrs\brdrw10\clfts\brdr\brdrs\brdrw10\clfts\brdr\brdrs\brdrw10\clfts\brdr\brdrs\brdrw10\clfts\brdr\brdrs\brdrw10\clfts\brdr\brdrs\brdrw10\clfts\brdr\brdrs\brdr\brdrs\brdrw10\clfts\brdr\brdrs\brdrw10\clfts\brdr\brdrs\brdrs\brdrw10\clfts\brdr\brdrs\brdrs\brdrw10\clfts\brdrs\brdrs\brdrs\brdrw10\clfts\brdrs\brdrs\brdrs\brdrw10\clfts\brdrs\brdrs\brdrs\brdrw10\clfts\brdrs

<u>800</u>

Rich Text Format Compatible Result File

This is a Sample Document!

First Name: Thomas

202 Last Name: Thomason

Dependent List: 203

205

206

First Name	Last Name	Acre
Norman	Normanson	45
Stephen	Stevenson	37
Roger	Rogerson	48

403

404

405